

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Express Mail No.: EL627426195US

In re Application of: SCHETELIG et al.

FILING DATE: Herewith

ART UNIT:

TITLE: RECEIVER ARRANGEMENT FOR RECEIVING FREQUENCY-MODULATED RADIO SIGNALS AND METHODS OF ADAPTING AND TESTING A RECEIVING BRANCH OF THE RECEIVER ARRANGEMENT  
ATTORNEY DOCKET NO.: 473-010278-US(PAR)

The Commissioner of Patents and Trademarks  
Washington, D.C. 20231

**PRELIMINARY AMENDMENT**

Dear Sir:

Please amend the above-identified, enclosed patent application as follows:

**IN THE CLAIMS**

Please amend claims 3, 5, 6, 7, 9 and 10 as rewritten below:

3. Receiver arrangement according to Claim 1, characterized in that the test-signal generator stage (28) comprises a frequency divider (30), which supplies as the output signal a frequency signal which contains a harmonic with a first frequency equal or virtually equal to the intermediate frequency.
5. Receiver arrangement according to Claim 3, characterized in that the clock signal output of the clock-signal oscillator (26) is applied to the frequency dividers (30, 32) via in each case one of the switches (29, 33) which can be controlled by the control circuit arrangement.
6. Receiver arrangement according to claim 1, characterized in that the demodulator circuit arrangement (18) has as the input stage a bandpass filter (19), and in that the fundamental frequency of the test signal is greater than the bandwidth of the bandpass filter (19), preferably greater than twice the bandwidth, in particular greater than four times the bandwidth of the bandpass filter (19).

7. Receiver arrangement according to claim 1, characterized in that the demodulator circuit arrangement (18) has as the output stage an offset stage (21), which is connected to a voltage signal output of a demodulator circuit (20) of the demodulator circuit arrangement (18) in order to adapt the output signal of the demodulator circuit arrangement (18) to the input stage (22) of the signal-processing circuit arrangement (23).


9. Receiver arrangement according to Claim 7, characterized in that the offset stage (21) is set by the control circuit arrangement (12) during setting operation on the basis of its output signal.

10. Receiver arrangement according to Claim 7, characterized in that the control circuit arrangement (12) is assigned a memory (31) in which a value for a direct voltage offset to be set, determined during the setting operation on the basis of the output signal of the offset stage (21), is stored, and in that the offset stage (21) can be set by the control circuit arrangement (12) to correspond to the stored value.

### REMARKS

In accordance with 37 C.F.R. §1.121 (as amended on 11/7/2000) the rewritten claim(s) above are shown on separate page(s) marked up to show all the changes relative to the previous version of that section.

Respectfully submitted,



Clarence A. Green, Reg. No.: 24,622



Date

Perman & Green, LLP

425 Post Road

Fairfield, CT 06430

(203) 259-1800

Customer No.: 2512

Application entitled: RECEIVER ARRANGEMENT FOR RECEIVING  
FREQUENCY-MODULATED RADIO SIGNALS AND METHODS OF  
ADAPTING AND TESTING A RECEIVING BRANCH OF THE RECEIVER  
ARRANGEMENT

MARKED UP CLAIM(S)

3. Receiver arrangement according to Claim 1-or-2, characterized in that the test-signal generator stage (28) comprises a frequency divider (30), which supplies as the output signal a frequency signal which contains a harmonic with a first frequency equal or virtually equal to the intermediate frequency.

5. Receiver arrangement according to Claim 3-or-4, characterized in that the clock signal output of the clock-signal oscillator (26) is applied to the frequency dividers (30, 32) via in each case one of the switches (29, 33) which can be controlled by the control circuit arrangement.

6. Receiver arrangement according to one-of-the-preceding-claimsclaim 1, characterized in that the demodulator circuit arrangement (18) has as the input stage a bandpass filter (19), and in that the fundamental frequency of the test signal is greater than the bandwidth of the bandpass filter (19), preferably greater than twice the bandwidth, in particular greater than four times the bandwidth of the bandpass filter (19).

7. Receiver arrangement according to one-of-the-preceding-claimsclaim 1, characterized in that the demodulator circuit arrangement (18) has as the output stage an offset stage (21), which is connected to a voltage signal output of a demodulator circuit (20) of the demodulator circuit arrangement (18) in order to adapt the output signal of the demodulator circuit arrangement (18) to the input stage (22) of the signal-processing circuit arrangement (23).

9. Receiver arrangement according to Claim 7-or-8, characterized in that the offset stage (21) is set by the control circuit arrangement (12) during setting operation on the basis of its output signal.

10. Receiver arrangement according to Claim 7-or-8, characterized in that the control circuit arrangement (12) is assigned a memory (31) in which a value for a direct voltage offset to be set, determined during the setting operation on the basis of the output signal of the offset stage (21), is stored, and in that the offset stage (21) can be set by the control circuit arrangement (12) to correspond to the stored value.

**CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10)**

Applicant(s): SCHETELIG et al.

Docket No.

473-010278-US(PAR)

Serial No.

Filing Date  
Herewith

Examiner

Group Art Unit

Invention:

RECEIVER ARRANGEMENT FOR RECEIVING FREQUENCY-MODULATED RADIO SIGNALS AND  
METHODS OF ADAPTING AND TESTING A RECEIVING BRANCH OF THE RECEIVER ARRANGEMENT

I hereby certify that this **New Application Transmittal, patent application and accompanying papers**  
(Identify type of correspondence)

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under  
37 CFR 1.10 in an envelope addressed to: The Commissioner of Patents and Trademarks, Washington, D.C.

20231-0001 on 10 April 2001  
(Date)

Elaine Mian

(Typed or Printed Name of Person Mailing Correspondence)

Elaine Mian  
(Signature of Person Mailing Correspondence)EL62742619SUS

("Express Mail" Mailing Label Number)

U.S. PTO  
09/832113  
04/10/01

**Note: Each paper must have its own certificate of mailing.**